



集团微信订阅号

集团微信服务号



160000343608

# 检测报告

No. A2BB02070001Z

委托单位

北京北大维信生物科技有限公司

受测单位

北京北大维信生物科技有限公司

签发日期

2021年11月11日



查询密码:Py8NGyeHV5

声明  
Statement

1. 本报告无检验检测专用章、报告骑缝章和批准人签章无效。  
This report is invalid without special seal of inspection, cross-page seal and the approver's signatures.
2. 本报告页面所使用“PONY”、“谱尼”字样为本单位的注册商标, 其受《中华人民共和国商标法》保护, 任何未经本单位授权的擅自使用和仿冒、伪造、变造“PONY”、“谱尼”商标均为违法侵权行为, 本单位将依法追究其法律责任。  
The pattern and characters of "PONY" and "谱尼" used in this report are protected by the trademark law of the People's Republic of China. Any unauthorized usage, counterfeit, forgery and alteration of trademarks of "PONY" and "谱尼" are the violations of the law. The PONY has the right to pursue legal liabilities of the subject of the delict.
3. 委托单位对报告数据如有异议, 请于报告完成之日起十五日内(初级农产品报告请于报告收到之日起五日内)向本单位书面提出复测申请, 同时附上报告原件并预付复测费。  
If the applicant has any questions about the results, shall provide a written retest application with the original report, and prepay the retest fees to PONY within fifteen days since the approval date (as an exception, it shall be within five days since the date received for the primary agriculture products report).
4. 委托单位办理完毕以上手续后, 本单位会尽快安排复测。如果复测结果与异议内容相符, 本单位将退还委托单位的复测费。  
After the applicant finishes the procedure mentioned above, PONY shall arrange the retest as soon as possible. If the retest result accords with the applicant dissent, PONY shall refund the retest fees.
5. 不可重复性或不能进行复测的实验, 不进行复测, 委托单位放弃异议权利。  
Tests that can not be repeated and tested shall not be carried out again.
6. 委托单位对样品的代表性和资料的真实性负责, 否则本单位不承担任何相关责任。  
The applicant should undertake the responsibility for the provided samples' representativeness and document authenticity. Otherwise, PONY has not any relevant responsibilities.
7. 本报告仅对所测样品的检测结果负责, 报告数据仅反映对所测样品的评价, 对于报告及所载内容的使用、使用所产生的直接或间接损失及一切法律后果, 本单位不承担任何经济和法律责任。  
This report is only responsible for the test results of the tested sample. The test results only represent the evaluation of the tested sample. PONY will not be responsible for any economical or legal liability generated from direct or indirect usage of the test report.
8. 本单位有权在完成报告后按规定方式处理所测样品。  
PONY has the right to dispose the tested sample by rules, after approval of the test report.
9. 本单位保证工作的客观公正性, 对委托单位的商业信息、技术文件等商业秘密履行保密义务。  
PONY assures objectivity and impartiality of the test, and fulfills the obligation of confidentiality for applicant's commercial information, and technique document.
10. 本报告私自转让、盗用、冒用、涂改、未经本单位批准的复制(全文复制除外)或以其它任何形式的篡改均属无效, 本单位将对上述行为追究其相应的法律责任。  
The report is invalid in case of illegal transfer, embezzlement, imposture, modification or any altering, reproducing except in full, without approval of PONY. PONY shall investigate and affix the applicant's legal liability accordingly.

\*\*\*\*\*

▲ 防伪说明 (Anti-counterfeiting Description):

- (1) 报告编号是唯一的;  
The test report has exclusive report code.
- (2) 报告采用特制防伪纸张印制, 纸张表面带有“PONY”防伪纹路, 该防伪纹路不支持复印, 即复制件不会带有“PONY”防伪纹路。  
The test report is printed by anti-copying paper whose surface shows "PONY" security print with specific anticounterfeiting technique. Security print will disappear after copying. Duplicates are not expected to give "PONY" security print under any circumstances.

\*\*\*\*\*

 **全国服务热线**  
**400-819-5688**

[WWW.PONYTEST.COM](http://WWW.PONYTEST.COM)



集团微信订阅号



集团微信服务号

北京实验室: (010) 83055000  
北京医学实验室: (010) 62450233 转8010  
北京谱尼科技公司: (010) 80415661  
上海实验室: (021) 64851999  
上海医学实验室: (021) 37895599  
上海松江实验室: (021) 37895599  
青岛实验室: (0532) 88706866  
青岛医学实验室: (0532) 88706866  
深圳实验室: (0755) 26050909  
深圳医学实验室: (0755) 26050909  
南宁实验室: (0771) 5518818  
贵州实验室: (0851) 85221000

武汉实验室: (027) 83997127  
武汉车附所: (027) 82318175  
武汉医学实验室: (027) 85446975  
吉林医学实验室: (0431) 80529700  
长春实验室: (0431) 80530198  
大连实验室: (0411) 87336618  
大连医学实验室: (0411) 87336618  
哈尔滨实验室: (0451) 58627755  
黑龙江医学实验室: (0451) 58603455  
苏州实验室: (0512) 62997900  
苏州医学实验室: (0512) 62997900

新疆实验室: (0991) 6684186  
石家庄实验室: (0311) 85376660  
西安实验室: (029) 89608785  
西安医学实验室: (029) 89608785  
西安创尼实验室: (029) 81123093  
杭州实验室: (0571) 87219096  
杭州医学实验室: (0571) 87219096  
宁波实验室: (0574) 87977185  
天津实验室: (022) 23607888  
天津医学实验室: (022) 23607888  
成都实验室: (028) 87702708

太原实验室: (0351) 7555722  
合肥实验室: (0551) 63843474  
广州实验室: (020) 89224310  
厦门实验室: (0592) 5568048  
内蒙古医学实验室: (0471) 3450025  
呼和浩特实验室: (0471) 3450025  
郑州实验室: (0371) 69350670  
郑州协力润华医学实验室:  
(0371) 63279066  
苏州汽车安全带及儿童安全座椅碰撞实验室:  
(0512) 62997900



## 检测报告

No. A2BB02070001Z

第 1 页, 共 1 页

委托单位	北京北大维信生物科技有限公司				
受测单位	北京北大维信生物科技有限公司				
受测地址	北京市海淀区永丰基地永盛北路 2 号				
检测日期	2021-11-03	完成日期		2021-11-11	
天气情况	晴	测量期间最大风速 (m/s)		昼间:1.5;夜间:1.5	
检测项目	工业企业厂界噪声	检测点数(个)		4	
检测方法	工业企业厂界环境噪声排放标准 GB 12348-2008				
检测仪器	噪声分析仪(仪器型号:AWA6228,仪器编号:IE-2087)				
检测时段	测点位置 (见附图)	测量值 Leq (dB(A))	背景值 Leq (dB(A))	噪声排放值 Leq (dB(A))	排放限值 Leq (dB(A))
昼间	▲1	56.0	---	56	60
	▲2	50.6	---	51	60
	▲3	57.2	---	57	60
	▲4	58.6	---	59	60
夜间	▲1	48.5	---	48	50
	▲2	46.0	---	46	50
	▲3	49.3	---	49	50
	▲4	49.1	---	49	50
备注	1、测点▲1、▲2、▲3、▲4 噪声测量值小于相应噪声排放源排放标准的限值, 依据标准《环境噪声监测技术规范 噪声测量值修正》(HJ706-2014) 6.1 的规定, 可以不进行背景噪声的测量及修正; 2、夜间噪声的最大声级为 56 dB(A), 属频发噪声; 3、该报告中检测方法由委托单位指定。				
附: 测点位置平面示意图					

编制:

王旭

审核:

陈亚丽

批准:

